

### Uniform Indoor Air Quality Inspection and Evaluation Program

Reporting Year: 2024

District:

Meriden Public Schools

School:

Orville H. Platt High School

220 Coe Ave, Meriden, CT 06451

In accordance with section 10-220(d) of the Connecticut General Statutes ("CGS § 10-220(d)" or "IAQ Statute"), Meriden Public Schools completed a uniform Indoor Air Quality (IAQ) inspection and evaluation of "Platt High School" in 2024. This report provides summaries of the School's inspections and evaluations undertaken pursuant to the 14 IAQ categories set forth in the IAQ Statute. Where applicable, Meriden Public Schools referred to and relied on the U.S. Environmental Protection Agency's (EPA's) IAQ Tools for Schools (TFS) guidance and checklists in its inspections and evaluations. The TFS checklists completed for the School in 2024 can be found at <a href="https://www.platths.com/resources/for-parents/tools-for-schools/">https://www.platths.com/resources/for-parents/tools-for-schools/</a>.

### 1. Heating, Ventilation and Air Conditioning (HVAC) Systems

Meriden Public Schools completed this assessment requirement using a combination of the TFS general Walkthrough Inspection Checklist and Ventilation checklists. These checklists provide guidance for evaluating multiple elements of the School's HVAC systems, including its outdoor intakes and potential pollutant sources, system cleanliness and preventative maintenance programs, control components, distribution systems, and exhaust systems.

In accordance with section 10-231e of the Connecticut General Statutes, Meriden Public Schools also ensures that the School's HVAC systems are (1) maintained and operated in accordance with the prevailing maintenance standards at the time of installation or renovation of such systems, and (2) operated continuously during the hours in which students or School personnel occupy School facilities, except (A) during scheduled maintenance and emergency repairs, and (B) during periods for which School officials can demonstrate that the quantity of outdoor air supplied provides sufficient air changes.

In addition, Meriden Public Schools is preparing a standalone evaluation of the HVAC system at Platt High School in compliance with the upcoming requirements of the IAQ statute.

This year's assessment did not identify any issues with the HVAC system that required immediate action in connection with IAQ in the School.

#### 2. Radon Levels in Air

Meriden Public Schools has a long-established radon testing program for the School in accordance with CGS § 10-220(d) and the State of Connecticut Department of Public Health (CTDPH) guidance. This program currently requires qualified and trained professionals to evaluate each school building for radon through sampling and laboratory analysis every three years as well as reporting to CTDPH. Meriden Public Schools is conducting a radon evaluation in all school buildings during the 2024-2025 testing season. The District is due for the next periodic evaluation during the 2027-2028 school year.

3. Potential For Exposure to Microbiological Airborne Particles, Including, But Not Limited To, Fungi, Mold, and Bacteria

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection, Building and Grounds Maintenance, Food Service, and Teacher's Classroom checklists. The focus items include evaluation of drainage at the exterior and roof of the School, any evidence of interior moisture intrusion or moisture issues through roof or plumbing leaks or any consistent condensation and evidence of mold/mildew growth.

The School's conditions were typical of school buildings and no concerns for microbiological airborne particles were noted in the assessment.

4. Chemical Compounds of Concern to Indoor Air Quality Including, But Not Limited To, Volatile Organic Compounds

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection and Building and Grounds Maintenance checklists. The focus items include the evaluation of building maintenance supplies and grounds maintenance supplies and how they are used, stored, and labeled as well as spill response, engineering, and administrative controls used in conjunction with these products.

Meriden Public Schools evaluated laboratories and associated chemical storage areas to evaluate chemical management and confirmed chemicals were stored properly. The District regularly contracts with Clean Harbors to dispose of expired/unused chemicals or waste generated from the laboratories.

The assessment did not reveal any issues with chemicals of concern impacting the IAQ. Additionally, Meriden Public Schools continues to operate its green cleaning program utilizing environmentally preferable cleaning and disinfecting products.

5. Degree Of Pest Infestation, Including, But Not Limited To, Insects and Rodents

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection, Teacher's Classroom, Waste Management, Food Service, and Integrated Pest Management checklists. The focus items include the evaluation of pest evidence, entry points, food, water, and identification of potential pest habitats as well as establishing a regular monitoring program.

Buildings are visually inspected bi-weekly by Total Pest Control (the district's integrated pest management company) to evaluate reported issues (if applicable), review potential exterior entry points and eliminate conditions that might be conducive to breeding or attracting pests. After the assessment, it was determined that any food stored in classrooms should be contained in plastic containers.

### 6. Degree Of Pesticide Usage

Meriden Public Schools operates an Integrated Pest Management (IPM) program in accordance with CGS § 10-231a-231d. The IPM program requires Meriden Public Schools to evaluate alternative pest management methods before using pesticides, utilize the least toxic method to address the pest problem and ensure all pest control products are used and stored in accordance with regulatory and manufacturer requirements by trained and qualified personnel. The plan further requires notifications to School occupants and parents of pesticide applications through posted notices and/or letters and that records of IPM practices and a pest management log be maintained for the School.

The application of pesticides on School grounds is avoided unless there is an emergency and it is only used under the direction of a licensed pesticide applicator.

7. The Presence Of And The Plans For Removal Of Any Hazardous Substances That Are Contained On The List Prepared Pursuant To Section 302 Of The Federal Emergency Planning And Community Right-To-Know Act, 42 USC 9601 Et Seq. (EPCRA)

Meriden Public Schools has evaluated the School for the potential presence of "extremely hazardous substances" as listed in EPCRA Section 302 and determined there are currently none present.

8. Ventilation Systems

The assessment of the School's ventilation systems is addressed in Section 1 herein.

9. Plumbing, Including Water Distribution Systems, Drainage Systems and Fixtures

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS General Walkthrough Inspection, Building and Grounds Maintenance, Teacher's Classroom, and Food Service checklists. The focus items include the evaluation of drainage and plumbing systems for evidence of leaks, odors, staining, condensation, and evidence of mold/mildew growth.

Based on the walkthrough, no plumbing issues affecting IAQ were identified

### 10. Moisture Incursion

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection, Building and Grounds Maintenance, Teacher's Classroom and Food Service checklists. The focus items include evaluation of drainage at the exterior and roof of the building, evidence of interior moisture intrusion or moisture issues through roof or plumbing leaks or consistent condensation, and evidence of mold/mildew growth.

In Meriden, if school staff see issues of moisture incursion they report them to the head custodian. The head custodian enters a work order ticket. When these issues are identified via the ticket process or otherwise brought to the attention of the Facilities Department, they are repaired or replaced as applicable and the root cause of the moisture is evaluated and addressed.

### 11. Overall Cleanliness of The Facilities

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection, Teacher's Classroom, Waste Management, Food Service, and Integrated Pest Management checklists. The focus items include evaluation of sanitary conditions in food handling and storage areas, ensuring waste does not accumulate, verifying walk-off mats are present at each entrance, ensuring proper procedures are in place for dust control during cleaning activities and a schedule is established for vacuuming and mopping floors.

Overall, the School facility was acceptably clean.

12. Building Structural Elements, Including, But Not Limited To, Roofing, Basements or Slabs

Meriden Public Schools addressed this assessment requirement using a combination of EPA's TFS general Walkthrough Inspection and Building and Grounds Maintenance checklists. The focus items include visual evaluation of roofing materials and structural components of the School building.



13. Use Of Space, Particularly Areas That Were Designed to Be Unoccupied

Meriden Public Schools continuously evaluates the use of space at the School. The School staff understand that spaces not designed to be occupied may not have adequate ventilation or meet minimum requirements for heating or cooling. Platt High School did not identify the use of any spaces contrary to their intended use (e.g., the use of a closet as an office).

14. The Provision of Indoor Air Quality Maintenance Training for Building Staff

The School's building staff have been trained, most recently in 2024, in the use of the EPA TFS checklists to gather information related to the overall condition of the school building. Staff understand that findings must be documented and addressed promptly. Additionally, certain staff members have specialized training related to HVAC, plumbing, nursing, groundskeeping, etc., and serve a critical role in addressing identified concerns if/when they arise.



- 1. Read the IAQ

  Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response requires
     further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

# **Building and Grounds Maintenance Checklist**


Name: STEPHEN KOGUT	
School: Platt High School	7
Room or Area: ALL	Date Completed: 3/15/24
Signature: Styphn Royalt	<b>.</b> ₩. (3 <b>.</b> ₩.)

1.	BUILDING MAINTENANCE SUPPLIES	Vas	No	N/A
la.	Developed appropriate procedures and stocked supplies for spill control		ū	
1Ъ.	Reviewed supply labels			
1c.	Ensured that air from chemical and trash storage areas vents to the outdoors	1	a	D.
1d.	Stored chemical products and supplies in sealed, clearly labeled containers	⊌/		
le.	Researched and selected the safest products available	ਓ		
1f.	Ensured that supplies are being used according to manufacturers' instructions			
	Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers' instructions		/_	
1h.	Substituted less- or non-hazardous materials (where possible)	🗹		
1i.	Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied		a	
lj.	Ventilated affected areas during and after the use of odorous or hazardous chemicals	,		o o
2.	GROUNDS MAINTENANCE SUPPLIES			
20	Stared grounds maintanesses symplica in announcieta area(s)	_/	П	
2a. 2h	Stored grounds maintenance supplies in appropriate area(s) Ensured that supplies are used and stored according to manufacturers'	پ	, "	J
20.	instructions	a/	. 🗆	
2c.	Established and followed procedures to minimize exposure to fumes	- /	5	
	from supplies			
	Reviewed and followed manufacturers' guidelines for maintenance			
	Replaced portable gas cans with low-emission cans	⊠		
2f.	Stored chemical products and supplies in sealed, clearly-labeled	~	_	_
2-	containers	<b>u</b>		
∠g.	disposed of according to manufacturers' instructions			0
3.	DUST CONTROL	ر .	,	
3a.	Installed and maintained barrier mats for entrances	🗹		
	Used high efficiency vacuum bags			
3c.	Used proper dusting techniques	🛛	•	0/
	Wrapped feather dusters with a dust cloth		0	CE
3e.	Cleaned air return grilles and air supply vents	⊡√		

4.	FLOOR CLEANING Yes/	No	N/A
4b.	Established and followed schedule for vacuuming and mopping floors		
4c.	Performed restorative maintenance (as necessary)		
5.	DRAIN TRAPS MONTHU		
	Poured water down floor drains once per week (about 1 quart of water)	/ 🗆	
	Ran water in sinks at least once per week (about 2 cups of water)		
5c,	Flushed toilets once each week (if not used regularly)		
6.	MOISTURE, LEAKS, AND SPILLS	,	
	Checked for moldy odors		
	Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)	, 	
	Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)		
	Checked that windows, windowsills, and window frames are free of condensate	Q	Q
6e.	Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate	а	
6f.	Ensured the following areas are free from signs of leaks and water damage: /		
	Indoor areas near known roof or wall leaks		
	Walls around leaky or broken windows	_	
	Duct interiors near humidifiers, cooling coils, and outdoor air intakes		
7.	COMBUSTION APPLIANCES		
7a.	Checked for odors from combustion appliances	α,	
	Checked appliances for backdrafting (using chemical smoke)	Ø	
	Inspected exhaust components for leaks, disconnections, or deterioration		
7d.	Inspected flue components for corrosion and soot		
8.	PEST CONTROL /		
Ba.	Completed the Integrated Pest Management Checklist		

18/
11\\[ \]
الشا

NOTES 30 - DUSTENC IS DONE WITH MICROPITSERS



- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- Keep the Background Information and make a copy of the checklist for future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

## **Food Service Checklist**

Name:	M	gan	Julber +		
School:	Plat	High S	chool		
				Date Completed:	3128124
Signatur	re:	Meyn	Jules		

т.	rn	JKINI	C ADEA
ι.	CO	NIIIA	G AREA

la.	Determined that local exhaust fans operate properly (note if fans are excessively noisy) SQUEOKS ON	s No
1b.	Checked for odors near cooking, preparation, and eating areas	
1c.	Ensured that exhaust fans are used whenever cooking, washing dishes, and cleaning	<i>/</i> 0
1d.	Determined that gas appliances function properly	1/ 0
1e.	Verified that gas appliances are vented outdoors	<b>1</b> □
1f.	Verified that gas appliances are vented outdoors	/ a
_		
1h.	Checked for signs of microbiological growth in the kitchen, including the upper walls and ceiling (for example, mold, slime, and algae)	
1i.	Selected biocides registered by EPA (if required), followed the manufacturer's directions for use, and carefully reviewed the method of application	/ -
1:	Truitie dels leistens in fine of all multiment designs and action a leafur (single-leafur)	, u
1j.	Verified the kitchen is free of plumbing and ceiling leaks (signs include stains, discoloration, and damp areas)	<b>1</b> a
2.	FOOD HANDLING AND STORAGE	
2a.	Checked food preparation, cooking, and storage areas for signs of insects	/
	and vermin (for example, feces or remains)	ם נ
2b.	Stored leftovers in well-sealed containers with no traces of food on outside	1
	Stored leftovers in well-sealed containers with no traces of food on outside surfaces	
2c.	Stored leftovers in well-sealed containers with no traces of food on outside	۵ , ۵
2c. 2d. 2e.	Stored leftovers in well-sealed containers with no traces of food on outside surfaces	
2c. 2d. 2e.	Stored leftovers in well-sealed containers with no traces of food on outside surfaces	
2c. 2d. 2e.	Stored leftovers in well-sealed containers with no traces of food on outside surfaces	
2c. 2d. 2e. 2f.	Stored leftovers in well-sealed containers with no traces of food on outside surfaces	
2c. 2d. 2e. 2f.	Stored leftovers in well-sealed containers with no traces of food on outside surfaces  Ensured that food preparation, cooking, and storage practices are sanitary.  Disposed of food scraps properly and removed crumbs  Cleaned counters with soap and water or a disinfectant (according to school policy)	

3c. Separated food waste and food-contaminated items from other wastes,

3e. Ensured that dumpsters are properly located (away from air intake vents, operable windows, and food service doors in relation to

prevailing winds)

4.	DELIVERIES	Yes/No N/A	The same of the sa
4a.	Instructed vendors to avoid idling their engines during deliveries		
70,	receiving areas		
4c.	Ensured that doors or air barriers are closed between receiving area and kitchen		
	vendors turn engines off		

### **NOTES**

- -exhaust sqeaks on
- no lids for after service



- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes," "no," or "not applicable" box beside each item. (A "no" response requires further attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

## Integrated Pest Management Checklist

1	Name: STEPHEN KOGUT		
2	School: Platt High School		
	Room or Area: All Date Completed: 3/15/24		
	H D +		-
18	Signature: Styphin Royal		
L			
1.	OFFICIAL POLICY STATEMENT		
12	Yes  Developed or located the school's official policy statement for integrated	No	N/A
14	pest management (IPM)		o
2.	DESIGNATING PEST MANAGEMENT ROLES		
2a	Assigned and trained a qualified person to be the pest manager	/ 🗆	
2b	. Involved decision makers in the IPM program	, 0	
2c	Educated students and staff (the occupants of the building) about IPM		_
2d	and asked them to keep their areas clean and free of clutter	u	
	at home	· 0/	
	Developed a program to educate and train all IPM participants		
2f.	Included language about IPM into contracts with pest management professionals	<b>′</b>	П
	processionals	<b>J</b>	_
3.	SETTING PEST MANAGEMENT OBJECTIVES		
3a.	Set appropriate pest management objectives for school buildings (such as		
	preventing pests from interfering with students' learning environment		
3h	and preserving the integrity of the building structure)		
50.	providing safe playing areas and the best athletic surfaces possible)	´ a	
		==:	
4.	INSPECTING, IDENTIFYING, AND MONITORING		
4a.	Inspected all buildings and grounds for pest evidence, entry points,	/	
41	food, water, and harborage sites		
	Identified potential pest habitats in buildings and grounds		
4d.	Monitored to determine the extent of pest problems and to estimate pest	, 0	
	populations	a	
4e.	Developed plans to modify habitat (for example, exclusion, repair, and	′	
4f.	sanitation efforts) to prevent or resolve any pest problems	Ü	
	estimate pest population levels and identify evidence of pests and		
	potential habitat		

5.	SETTING ACTION THRESHOLDS			
5a.	Evaluated all available data obtained through inspecting, identifying, and monitoring	Yes	No □	N/
5b.	Determined how many pests the school buildings, grounds, and occupants can tolerate	M	_ _	_
5c.	Set action thresholds			0
6.	PREVENTIVE STRATEGIES			
IN	DOOR SITES			
ба.	Implemented appropriate strategies to prevent pests from inhabiting the following	owjń	g are	as:
	• Entryways			
	• Classrooms	/لات		
	• Gymnasiums	o//	ď	
	• Locker rooms			
	• Offices			
	Staff lounges			
	• Bathrooms			
	Food preparation and serving areas	0/		
	Rooms with extensive plumbing			
	Maintenance areas	<b>1</b>		
	• Other	ର୍ପ		
ου	TDOOR SITES			
бЪ.	Implemented appropriate strategies to prevent pests from inhabiting the following	wing	are:	as:
	• Playgrounds	☑/		
	Parking lots	ď/		
	Lawns and athletic fields	4/		
	Teaching gardens or greenhouses	<b>M</b> /		
	Loading docks			
	• Dumpsters	<b>1</b>		
	Areas with ornamental shrubs and trees	ω//vΞ		
	• Other	অ		Q
7.	PESTICIDE USE AND STORAGE			
7a.	Explored alternative pest management methods before concluding that	/		
	pesticides were necessary	V)		
7b.	Ensured that pest management professionals integrate IPM into their pest management methods	4	۵	
7c.	Identified the least toxic, target-specific chemical (or pesticide			
	formulation) that is the most effective to address the pest problem,	1		
	preferably as baitsand granules	Z,		a
7d.	Reviewed and followed all label instructions on pesticides and learned	1		
	how to properly apply and handle these chemicals	3		
7e.	Used spot-treatment (or bait, crack, and crevice applications) to apply	,		
	pesticides whenever possible and only treated the obviously infested	1	_	_
7.5	plants in the area	4	ū	u
7f.	PP, mg Posterior	<b>M</b>	J	
ιg.	Placed all pesticides in tamper-resistant bait boxes or locations that are inaccessible to children and non-target species	$\sqrt{}$	П	П
	The state of the s			





7.	PESTICIDE USE AND STORAGE (cont.)		
7h.	Locked or fastened lids of all bait boxes and placed bait away from the runway of the box	No	N/A
7i.	Applied pesticides when occupants were not present or in areas where they would not be exposed to the chemicals		<u> </u>
7j.	Ensured that school occupants (students and staff) are notified of upcoming pesticide applications through posted notices and/or letters	۵	
7k.	Ensured that parents are notified of upcoming pesticide applications through letters		
71.	Kept copies of current pesticide labels and information on pesticides easily accessible		0
	Stored pesticides off site or in areas that are locked and accessible only to designated personnel		
7n.	Ensured that storage areas are adequately ventilated and are located away from areas prone to flooding or where spills or leaks may contaminate the environment	_	
7o.	the environment	٥	
	Ensured that pesticides are stored in their original containers and all lids are securely fastened		۵
7q.	Ensured that air in the storage space cannot mix with the air in the central ventilation system		
8.	EVALUATING RESULTS AND RECORD KEEPING		
8a.	Ensured that accurate, up-to-date records of IPM practices and a pest management log for each property are kept		
8ъ.	Ensured that pesticide records necessary to meet all state, local, and school board requirements are maintained	a	_

• Service schedules for maintenance of buildings and grounds......

• Current Material Safety Data Sheets (MSDS) for each pesticide project ....

• Pest surveillance data sheets .....

• Diagram noting the location of pest activity, traps, and bait stations ........

a

### **NOTES**

20 - FUTURE POINT OF DISCUSSION WITH ADMINISTRATION

8c. Ensured that each log book contains the following items:



- 1. Read the *IAQ*Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  this checklist for
  each ventilation
  unit in your school,
  as well as a
  copy for future
  reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

## **Ventilation Checklist**

Name: STEPHEN ROGUI		
School: Platt High School		
Unit Ventilator/AHU No:		
Room or Area: All Date Completed: 3/15/24  Signature: Stylin Keynt		_
I. OUTDOOR AIR INTAKES		
a. Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)	No	N/A
b. Ensured that the ventilation system was on and operating in "occupied" mode	۵	0
ACTIVITY 1: OBSTRUCTIONS		
c. Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers	, 	ā
d. Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake)	۵	8
ACTIVITY 2: POLLUTANT SOURCES		
e. Checked ground-level intakes for pollutant sources (dumpsters, loading docks, and bus-idling areas)		
f. Checked rooftop intakes for pollutant sources (plumbing vents; kitchen, toilet, or laboratory exhaust fans; puddles; and mist from	/_	_
air-conditioning cooling towers)	u	ų
intakes (e.g., relocated dumpster or extended exhaust pipe)		7
ACTIVITY 3: AIRFLOW	/	
h. Obtained chemical smoke (or a small piece of tissue paper or light plastic)  i. Confirmed that outdoor air is entering the intake appropriately	\ 0	0 0
2. SYSTEM CLEANLINESS		
ACTIVITY 4: AIR FILTERS	/	
a. Replaced filters per maintenance schedule		
b. Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream)	, n	
c. Vacuumed filter areas before installing new filters	۵	0
d. Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter.	/ / D	
e. Confirmed proper installation of filters (correct direction for airflow)	0	

### 2. SYSTEM CLEANLINESS (continued) **ACTIVITY 5: DRAIN PANS** Yes No N/A 2f. Ensured that drain pans slant toward the drain (to prevent water from 2h. Checked drain pans for mold and mildew ..... **ACTIVITY 6: COILS** 2i. Ensured that heating and cooling coils are clean ...... ACTIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS 2j. Ensured that the interior of air-handling unit(s) or unit ventilator (air-mixing chamber and fan blades) is clean ...... 2k. Ensured that ducts are clean ...... **ACTIVITY 8: MECHANICAL ROOMS** 21. Checked mechanical room for unsanitary conditions, leaks, and spills ....... 2m. Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies .... 3. CONTROLS FOR OUTDOOR AIR SUPPLY 3a. Ensured that air dampers are at least partially open (minimum position) ..... 3b. Ensured that minimum position provides adequate outdoor air **ACTIVITY 9: CONTROLS INFORMATION** 3c. Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings, and controls operations manuals (often uniquely designed) ...... **ACTIVITY 10: CLOCKS, TIMERS, SWITCHES** 3d. Turned summer-winter switches to the correct position ..... 3e. Set time clocks appropriately..... 3f. Ensured that settings fit the actual schedule of building use (including night/weekend use) ..... **ACTIVITY 11: CONTROL COMPONENTS** 3g. Ensured appropriate system pressure by testing line pressure at both the occupied (day) setting and the unoccupied (night) setting ...... 3h. Checked that the line dryer prevents moisture buildup ...... 3i. Replaced control system filters at the compressor inlet based on the compressor manufacturer's recommendation (for example, when you 3i. Set the line pressure at each thermostat and damper actuator at the proper level (no leakage or obstructions) **ACTIVITY 12: OUTDOOR AIR DAMPERS** 31. Ensured that the recirculating relief and/or exhaust dampers are visible 3m. Ensured that air temperature in the indoor area(s) served by each



NOTE: It is necessary to ensure that the damper is operating properly and within the normal range to continue.

outdoor air damper is within the normal operating range



3.	CONTROLS FOR OUTDOOR AIR SUPPLY (continued)				
3n.	Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler	No	N/A		
30.	Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on	,	_		
3р.	If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F	,			
3q.	If in cooling mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F				
3r.	The damper actuator links to the damper shaft, and any linkage set		1		
	<ul> <li>screws or bolts are tight</li></ul>	000	S B B		
	The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly)	۵			
Pro	ceed to Activities 13–16 if the damper seems to be operating properly.				
	TIVITY 13: FREEZE STATS				
or.	Disconnected power to controls (for automatic reset only) to test continuity across terminals	O)			
3t.		4			
3u.	Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats	<u>u</u>			
NOTE: HVAC systems with water coils need protection from the cold. The freeze-stat may close the outdoor air damper and disconnect the supply air when tripped. The typical trip range is 35°F to 42°F.					
AC'	FIVITY 14: MIXED AIR THERMOSTATS				
	Ensured that the mixed air stat for heating mode is set no higher than 65°F	a			
3w.	Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting	<b>.</b>	O		
AC.	TIVITY 15: ECONOMIZERS				
3x.	Confirmed proper economizer settings based on design specifications or local practices		٥		
NOT	E: The dry-bulb is typically set at 65°F or lower.				
	Checked that sensor on the economizer is shielded from direct sunlight				
	exhaust/relief air, and recirculated air), per the design specifications				
NOTE: Economizers use varying amounts of cool outdoor air to assist with the cooling load of the room or rooms. There are two types of economizers, dry-bulb and enthalpy. Dry-bulb economizers vary the amount of outdoor air based on outdoor temperature, and enthalpy economizers vary the amount of outdoor air based on outdoor temperature and humidity level					

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued)						
ACTIVITY 16: FANS  3aa. Ensured that all fans (supply fans and associated return or relief fans) that move outside air indoors continuously operate during occupied hours (even when room thermostat is satisfied)						
NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply.						
4. AIR DISTRIBUTION						
ACTIVITY 17: AIR DISTRIBUTION  4a. Ensured that supply and return air pathways in the existing ventilation system perform as required						
NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies.						
4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows)						
NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents.						
4e. Modified the HVAC system to supply outside air to areas without an outdoor air supply						
4f. Modified existing HVAC systems to incorporate any room or zone layout and population changes						
blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents						
activities						
4i. Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals						
ACTIVITY 18: PRESSURIZATION IN BUILDINGS						
NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the "occupied" cycle when doing this activity.						
4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings)						
5. EXHAUST SYSTEMS						
ACTIVITY 19: EXHAUST FAN OPERATION  5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s)						
If fans are running but air is not flowing toward the exhaust intake, check for the following:  • Inoperable dampers  • Obstructed, leaky, or disconnected ductwork  • Undersized or improperly installed fan  • Broken fan belt						





### 5. EXHAUST SYSTEMS (continued)

ACTIVI	ITY 20: EXHAUST AIRFLOW					
	NOTE: Prevent migration of indoor contaminants from areas such as bathrooms, kitchens, and labs by keeping them under negative pressure (as compared to surrounding spaces).					
	cked (using chemical smoke) that air is drawn into the room from cent spaces			N/A		
the door	tside the room with the door slightly open while checking airflow high an opening (see "How to Measure Airflow").	d lo	w in	ı		
5c. Ensur	red that air is flowing toward the exhaust intake	1				
ACTIVI 5d. Chec	TY 21: EXHAUST DUCTWORK cked that the exhaust ductwork downstream of the exhaust fan (which is expositive pressure) is sealed and in good condition	/	0	0		
6. QU	ANTITY OF OUTDOOR AIR					
ACTIVI	TY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIONS	5				
NOTE: R	lefer to "How to Measure Airflow" for techniques.					
unit	sured the quantity of outdoor air supplied (22a) to each ventilation	1	M	0		
	ulated the number of occupants served (22b) by the ventilation unit	1	M			
6c. Divideter	ded outdoor air supply (22a) by the number of occupants (22b) to rmine the existing quantity of outdoor air supply per person (22c)	1	M			
ACTIVI	TY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES			,		
level	pared the existing outdoor air per person (22c) to the recommended s in Table 1	ì	4			
quan	ected problems with ventilation units that supplied inadequate tities of outdoor air to ensure that outdoor air quantities (22c) meet ecommended levels in Table 1	/	, 	0		
	JSSUE,					
DUCTS	TO THE EXTENT WE CAN REACH. M AND CTC.					
BUNHA	M AND CTC.					

**NOTES** 

10-CUARENTLY NO ISSUE.

162K-CLEAN DUCTS TO THE EXTENT WE CAN REACH


3C-JOHN BUNHAM AND CTC.


36-3J. - NO PNUEMATICS

3R-SYSTEM IS WORKING PROPERLY

3N-ALL FREEZE STATS ARE AUTOMATIC.

4J-USED TISSUE INSTEAD OF SMOKE.





## Walkthrough Inspection Checklist

Name:	STEPHON	KOGUT		
School:	Platt High Sc	hool		
Room or A	Area: AU		Date Completed:	3/15/24
Signature	0+1	Kozat	= === ================================	

1.	GROUND LEVEL	/ No	N/A
la.	Ensured that ventilation units operate properly		
	Ensured there are no obstructions blocking air intakes		
	Checked for nests and droppings near outdoor air intakes	ا ا	
	Determined that dumpsters are located away from doors, windows, and outdoor air intakes	′	
	Checked potential sources of air contaminants near the building (chimneys, stacks, industrial plants, exhaust from nearby buildings)	, a	۵
	Ensured that vehicles avoid idling near outdoor air intakes	, 0	
	Minimized pesticide application		
1h.	Ensured that there is proper drainage away from the building (including roof downspouts)	<b>/</b>	۵
li.	air intakes	/ <sub>-</sub>	
1j.		,	
2.	ROOF		
Wh	ile on the roof, consider inspecting the HVAC units (use the Ventilation Checklis	K).	
2b.	Ensured that the roof is in good condition	, $\Box$	0
	Checked that ventilation units operate properly (air flows in)		
	Ensured that exhaust fans operate properly (air flows out)		
	Ensured that air intakes remain open, even at minimum setting		
	Checked for nests and droppings near outdoor air intakes		
zg.	Ensured that air from plumbing stacks and exhaust outlets flows away from outdoor air intakes		۵
3.	ATTIC		/
3a.	Checked for evidence of roof and plumbing leaks		₫/
3Ъ.	Checked for birds and animal nests		Œ
4.	GENERAL CONSIDERATIONS		
4a.	Ensured that temperature and humidity are maintained within acceptable ranges	/ , o	۵
4b.	Ensured that no obstructions exist in supply and exhaust vents		ū
	Checked for odors		
	Checked for signs of mold and mildew growth		

### Instructions

- Read the IAQ Backgrounder and the Background Information for this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist,
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- 4. Return the checklist portion of this document to the IAQ Coordinator.

4e. 4f.	GENERAL CONSIDERATIONS (continued)  Checked for signs of water damage
5a.	Ensured that bathrooms and restrooms have operating exhaust fans
6.	MAINTENANCE SUPPLIES
6b. 6с.	Ensured that chemicals are used only with adequate ventilation and when building is unoccupied
7.	COMBUSTION APPLIANCES
7a. 7b. 7c.	Checked for combustion gas and fuel odors
8.	OTHER
	Checked for peeling and flaking paint (if the building was built before 1980, this could be a lead hazard)
NO	3A+3B -NO ATTIC  GA - CONSTANTLY CLUANING THROUGOUT THE DAY,  BB- DUE FOR RADON TEST IN JULY.



- 1. Read the IAQ
  Backgrounder and
  the Background
  Information for
  this checklist.
- 2. Keep the
  Background
  Information and
  make a copy of
  the checklist for
  future reference.
- 3. Complete the Checklist.
  - Check the "yes,"
     "no," or
     "not applicable"
     box beside each
     item. (A "no"
     response
     requires further
     attention.)
  - Make comments in the "Notes" section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

## **Waste Management Checklist**

Name: STEPHEN ROGUT

School: Platt High School

Room or Area: ALL Date Completed: 3/15/24

Signature: Stylin Rogut

1.	WASTE MANAGEMENT	<b>7</b>	M.	BIZA	
la	Ensured that waste containers are appropriate for use (for example,	es	140	N/A	
	food waste containers should have lids)	٦/,			
1b.	Ensured that waste containers are lined	ZZ/			
1c.	Ensured that waste from art, science, vocational classes, etc., are handled separately	1	П	П	
1d.	Labeled recycling bins clearly	1		_	
1e.	Ensured number of bins and dumpsters is adequate	1	_	_	
1f.	Ensured appropriate location of dumpsters (i.e., away from air intakes, doors, and operable windows in relation to prevailing winds)	1	_	_	
lg.	Ensured waste containers are emptied regularly	1			
1h.	Ensured appropriate waste removal schedule	1	ā	ā	
1i.		1		<u> </u>	,
lj.	Ensured any exhaust fans in the room are operating properly	ב		M.	
	Checked waste storage areas for odors, contaminants, or signs of vermin	ב		50	

**NOTES** 

IJ - NO WASTE STORED INDOORS,